

# Manta Hidrophilic Guide Wire



- \* High quality niti core wire enables 1:1 torque control for better navigation and faster vessel selection
- \* TPU jacket with tungsten providing excellent visibility under X-ray
- \* Unique coating technology ensure a lubricant surface durable

Ref.No	Product Description		
	O.D. (Inch/mm)	Length (cm)	Tip Form
V-35MT150A	0.035" (0.89mm)	150	45° Angled
V-35MT180A	0.035" (0.89mm)	180	45° Angled
V-35MT260A	0.035" (0.89mm)	260	45° Angled
V-35MT150J	0.035" (0.89mm)	150	JTip
V-35MT180J	0.035" (0.89mm)	180	JTip
V-35MT260J	0.035" (0.89mm)	260	JTip
V-38MT150A	0.038" (0.90mm)	150	45° Angled
V-38MT180A	0.038" (0.90mm)	180	45° Angled
V-38MT260A	0.038" (0.90mm)	260	45° Angled
V-38MT150J	0.038" (0.90mm)	150	JTip
V-38MT180J	0.038" (0.90mm)	180	JTip
V-38MT260J	0.038" (0.90mm)	260	JTip



**3403 SW 82ND AVENUE. SUITE #102.**

**DORAL, FLORIDA 33122. USA**

**WWW.HOSMED-INC.COM**

**P: +1 786 464 0361**

**E-mail: [marketing@hosmed-inc.com](mailto:marketing@hosmed-inc.com)**